AMENDMENTS TO THE CLAIMS

1. (CURRENTLY AMENDED) An imaging device comprising:

imaging means for imaging a subject to acquire image data which represents said subject; storage means for storing recommended composition data, which represent composition images that represent an image of a composition that is recommended in performing photography at various locations, in correlation with photography information containing including positional information which represents said various photography locations;

photography information acquisition means for acquiring said photography information; read-out means for reading out desired, recommended composition data correlated with photography information which corresponds to said acquired photography information, from said storage means, based on said acquired photography information; and

display means for superposing and displaying a recommended composition image represented by said desired, recommended composition data and an image represented by said image data,

wherein along with said positional information included in the photography information, said photography information also includes date information which represents various recommended dates for performing photography at said various photography locations; and

in addition to said various photography locations, said recommended composition data represent composition images recommended on said various recommended photography dates for performing photography at said various photography locations.

2. (CANCELLED)

3. (CURRENTLY AMENDED) The An imaging device as set forth in claim 1 comprising:

imaging means for imaging a subject to acquire image data which represents said subject;

storage means for storing recommended composition data, which represent composition

images that represent an image of a composition that is recommended in performing

photography at various locations, in correlation with photography information containing

including positional information which represents said various photography locations;

photography information acquisition means for acquiring said photography information; read-out means for reading out desired, recommended composition data correlated with photography information which corresponds to said acquired photography information, from said storage means, based on said acquired photography information; and

display means for superposing and displaying a recommended composition image represented by said desired, recommended composition data and an image represented by said image data, wherein

said photography information contains weather information which represents various weather recommended at said photography locations,

wherein along with said positional information included in the photography information, said photography information also includes weather information which represents various

recommended weather conditions when performing photography at said various photography

locations; and

in addition to said various photography locations, said recommended composition data

represent composition images recommended under said various recommended weather

conditions in addition to when performing photography at said various photography locations.

4. (CURRENTLY AMENDED) The imaging device as set forth in-claim 2 claim 1,

wherein said-photography information contains weather information-which-represents

various weather recommended at said photography locations,

wherein along with said positional information included in the photography information,

said photography information also includes weather information which represents various

recommended weather conditions when performing photography at said various photography

locations; and

in addition to said various photography locations, said recommended composition data

represent composition images recommended under said various recommended weather

conditions in addition to when performing photography at said various photography locations.

5. (ORIGINAL) The imaging device as set forth in claim 1, wherein

said photography information acquisition means includes global positioning system

(GPS) means for acquiring GPS information as said photography information, based on radio

waves from GPS satellites; and

read-out means reads out said desired, recommended composition data correlated with photography information which contains positional information corresponding to said GPS information, from said storage means, based on said GPS information.

6. (CANCELLED)

7. (ORIGINAL) The imaging device as set forth in claim 3, wherein

said photography information acquisition means includes global positioning system (GPS) means for acquiring GPS information as said photography information, based on radio waves from GPS satellites, and weather information acquisition means for accessing a weather information server which provides weather information recommended at said photography location, to acquire weather information recommended at said photography location; and

read-out means reads out said desired, recommended composition data correlated with photography information, which contains positional information corresponding to said GPS information and said acquired weather information, from said storage means, based on said GPS information and said acquired weather information.

8. (ORIGINAL) The imaging device as set forth in claim 4, wherein

said photography information acquisition means includes global positioning system (GPS) means for acquiring GPS information as said photography information, based on radio waves from GPS satellites, and weather information acquisition means for accessing a weather Application No. 09/837,171 Reply dated February 26, 2007

Reply to Office Action of September 26, 2006

Docket No. 2091-0238P Art Unit: 2622

Page 6 of 21

information server which provides weather information recommended at said photography

location, to acquire weather information recommended at said photography location; and

read-out means reads out said desired, recommended composition data correlated with

photography information, which contains positional information and date information

corresponding to said GPS information and said acquired weather information, from said storage

means, based on said GPS information and said acquired weather information.

9. (ORIGINAL) The imaging device as set forth in claim 1, further comprising archive

means for archiving the image data acquired by said imaging means.

10. (ORIGINAL) The imaging device as set forth in claim 9, wherein

said storage means stores imaging-condition information, which represents recommended

imaging conditions suitable for archiving said image data in said archive means, in correlation

with said recommended composition data; and

said read-out means reads out desired imaging-condition information correlated with said

desired, recommended composition data, along with said desired, recommended composition

data.

11. (ORIGINAL) The imaging device as set forth in claim 10, further comprising

imaging-condition display means for displaying recommended imaging conditions represented

by said desired imaging-condition information.

Application No. 09/837,171 Reply dated February 26, 2007

Reply to Office Action of September 26, 2006

Docket No. 2091-0238P Art Unit: 2622

Page 7 of 21

12. (ORIGINAL) The imaging device as set forth in claim 10, further comprising

imaging-condition set means for setting said imaging means, based on recommended imaging

conditions represented by said desired imaging-condition information.

13. (ORIGINAL) The imaging device as set forth in claim 11, further comprising

imaging-condition set means for setting said imaging means, based on recommended imaging

conditions represented by said desired imaging-condition information.

14. (ORIGINAL) The imaging device as set forth in claim 12, further comprising

imaging-condition-set switching means for switching ON and OFF states of said imaging-

condition set means.

15. (ORIGINAL) The imaging device as set forth in claim 12, wherein said read-out

means reads out only said desired, recommended composition data correlated with imaging-

condition information which represents recommended imaging conditions settable in said

imaging means.

16. (ORIGINAL) The imaging device as set forth in claim 14, wherein said read-out

means reads out only said desired, recommended composition data correlated with imaging-

Page 8 of 21

condition information which represents recommended imaging conditions settable in said imaging means.

17. (ORIGINAL) The imaging device as set forth in claim 9, wherein

said recommended composition data have attendant information related to said recommended composition images; and

said archive means attaches said attendant information to said image data when archiving said image data.

18. (ORIGINAL) The imaging device as set forth in claim 10, wherein

said recommended composition data have attendant information related to said recommended composition images; and

said archive means attaches said attendant information to said image data when archiving said image data.

19. (ORIGINAL) The imaging device as set forth in claim 11, wherein

said recommended composition data have attendant information related to said recommended composition images; and

said archive means attaches said attendant information to said image data when archiving said image data.

20. (ORIGINAL) The imaging device as set forth in claim 12, wherein

said recommended composition data have attendant information related to said recommended composition images; and

said archive means attaches said attendant information to said image data when archiving said image data.

21. (ORIGINAL) The imaging device as set forth in claim 14, wherein

said recommended composition data have attendant information related to said recommended composition images; and

said archive means attaches said attendant information to said image data when archiving said image data.

22. (ORIGINAL) The imaging device as set forth in claim 15, wherein

said recommended composition data have attendant information related to said recommended composition images; and

said archive means attaches said attendant information to said image data when archiving said image data.

23. (ORIGINAL) The imaging device as set forth in claim 1, further comprising readout recognition means for informing that said desired, recommended composition data is readout, when reading out said desired, recommended composition data. Application No. 09/837,171 Reply dated February 26, 2007

Reply to Office Action of September 26, 2006

Docket No. 2091-0238P Art Unit: 2622

Page 10 of 21

24. (ORIGINAL) The imaging device as set forth in claim 1, wherein said display

means includes selection display means for switching display and non-display of said

recommended composition image.

25. (ORIGINAL) The imaging device as set forth in claim 1, further comprising

coincidence recognition means for informing that said recommended composition image

displayed on said display means has coincided with the image representing said subject.

26. (ORIGINAL) The imaging device as set forth in claim 1, further comprising

photography-information-acquisition switching means for switching ON and OFF states of said

photography information acquisition means.

27. (ORIGINAL) The imaging device as set forth in claim 1, further comprising:

image switching means for switching ON and OFF states of said imaging means; and

switching display means for sequentially displaying recommended composition images,

represented by the recommended composition data stored in said storage means, on said display

means when said imaging means is in the OFF state.

28. (CURRENTLY AMENDED) An imaging device comprising:

an imaging part for imaging a subject to acquire image data which represents said subject

and a memory part for temporarily storing the image data;

a storage medium for storing recommended composition data, which represent

composition images that represent an image of a composition that is recommended in

performing photography at various locations, in correlation with photography information

containing including positional information which represents said various photography

locations;

a global positioning system (GPS) for acquiring said photography information containing

positional information for a location;

a data read-out device for reading out desired, recommended composition data correlated

with photography information which corresponds to said acquired photography information for

the location, from said storage medium, based on said acquired photography information; and

a display or viewfinder for superposing and displaying a recommended

composition image represented by said desired, recommended composition data and an image

represented by said image data,

wherein along with said positional information included in the photography information,

said photography information also includes date information which represents various

recommended dates for performing photography at said various photography locations; and

in addition to said various photography locations, said recommended composition data

represent composition images recommended on said various recommended photography dates

for performing photography at said various photography locations.

29. (CANCELLED)

30. (CURRENTLY AMENDED) The An imaging device as set forth in claim 28 comprising

an imaging part for imaging a subject to acquire image data which represents said subject and a memory part for temporarily storing the image data;

a storage medium for storing recommended composition data, which represent composition images that represent an image of a composition that is recommended in performing photography at various locations, in correlation with photography information including positional information which represents said various photography locations;

a global positioning system (GPS) for acquiring said photography information including positional information for a location;

a data read-out device for reading out desired, recommended composition data correlated with photography information which corresponds to said acquired photography information for the location, from said storage medium, based on said acquired photography information; and a display or viewfinder for superposing and displaying a recommended composition image represented by said desired, recommended composition data and an image represented by said image data,

wherein said photography information contains weather information which represents various weather recommended at said photography locations.

Application No. 09/837,171

Reply dated February 26, 2007

Reply to Office Action of September 26, 2006

Docket No. 2091-0238P

Art Unit: 2622 Page 13 of 21

wherein along with said positional information included in the photography information,

said photography information also includes weather information which represents various

recommended weather conditions when performing photography at said various photography

locations; and

in addition to said various photography locations, said recommended composition data

represent composition images recommended under said various recommended weather

conditions in addition to when performing photography at said various photography locations.

31. (PREVIOUSLY PRESENTED) The imaging device as set forth in claim 28,

wherein said photography information includes weather information accessed through a weather

information server which provides weather information recommended at said photography

location, to acquire weather information recommended at said photography location.

32. (PREVIOUSLY PRESENTED) The imaging device as set forth in claim 28, further

comprising an archiving part for archiving the image data acquired by said imaging device.

33. (PREVIOUSLY PRESENTED) The imaging device as set forth in claim 28,

wherein said display or viewfinder includes a selection device for switching between a display

mode and a non-display mode of said recommended composition image.

Application No. 09/837,171 Reply dated February 26, 2007 Reply to Office Action of September 26, 2006 Docket No. 2091-0238P Art Unit: 2622 Page 14 of 21

34. (PREVIOUSLY PRESENTED) The imaging device as set forth in claim 28, further comprising coincidence recognition device for indicating that said recommended composition image displayed on said display or viewfinder has coincided with the image representing said subject.

35. (PREVIOUSLY PRESENTED) The imaging device as set forth in claim 28, further comprising a photography-information-acquisition switching device for switching between ON and OFF states of said global positioning system (GPS).